PATENT #

Serial No. 10/051,652 **Filed:** January 15, 2002

Title: ANTIBODY-AVIDIN FUSION PROTEINS

As CYTOTOXIC DRUGS **Applicant:** Penichet et al. **Group Art Unit No.** n/a

Examiner: n/a

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner of Patents Washington, D.C. 20231

INFORMATION DISCLOSURE STATEMENT

Sir:

In recognition of the duty to disclose all relevant and material information of which they are aware, applicants direct the Examiner's attention to the references listed on the attached PTO Form 1449. A copy of each listed reference is enclosed.

Dated: March 8, 2002

Respectfully submitted,

David J. Oldenkamp, Reg. 29.421

SHAPIRO & DUPONT LLP

233 Wilshire Boulevard, Suite 700 Santa Monica, California 90401 (310) 319-5411 (Telephone)

(310) 319-5401 (Facsimile)

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE

ATTY DOCKET NO.	
0180 0026	

SERIAL NO. 10/051,652

APPLICANTS
PENICHET ET AL.

FILING DATE
JANUARY 15, 2002

GROUP N/A

MAR 1 2 2002

U.S. PATENT DOCUMENTS						
EXAMINER INITIAL	DATE		FILING DATE IF			
	5,672,683	09-30-97	Friden et al.	520		APPROPRIATE
	5,807,715	09-15-98		530	350	07-16-93
			Morrison et al.	435	69.6	06-27-94
	6,287,792	09-11-01	Pardridge et al.	435	7.5	06-17-91

FOREIGN PATENT DOCUMENTS					TRANSLATION	
DOCUME	NT DATE	COUNTRY	CLASS	SUBCLASS	YES	NO
WO 01/0708	84 A1 01.02.2001	PCT	A C 1 1 /			NO
	1 1.02.2001	101	A61K	39/44	Х	1

 OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
Shin SU, Wu D, Ramanathan R, Pardridge WM, and Morrison SL. Functional and pharmacokinetic properties of antibody-avidin fusion properties. J Immunol. 1997, 158 (10):4797-804.
Jeffried WA, Brandon MR, Williams AF, Hunt SV. Analysis of lymphopoietic stem cells with a monoclona antibody to the rat transferrin receptor. Immunology. 1985, 54:331-341.
Penichet ML, Kang YS, Pardridge WM, Morrison SL, Shin SU. An antibody-avidin fusion protein specific for the transferrin receptor serves as a delivery vehicle for effective brain targeting: initial applications in anti-
Galfr G, Milstein C, Wright B. Rat x rat hybrid myelomas and a monoclonal anti-Fd portion of mouse IgG Nature 1979, 277:131-133.
Van Engeland M, Nieland LJ, Ramaekers FC, Schutte B, Reutelingsperger, CP. Annexin V-affinity assay: a review on an apoptosis detection system based on phosphatidyllserine exposure. Cytometry 1998, 31:1-9.
Arends MJ, Morris RG, Wyllie AH. Apoptosis. The role of the endonuclease. Am. J. Pathol. 1990, 136:593-608.
Friden PM, Olson TS, Obar R, Walus LR, and Putney SD. Characterization, receptor mapping and blood-brain barrier transcytosis of antibodies to the human transferrin receptor. J. Pharmacol. Exp. Ther. 1996, 278:1491-8.
Kearney JF, Radbruch A, Liesegang B, and Rajewsky K. A new mouse myeloma cell line that has lost immunoglobulin expression but permits the construction of antibody-secreting hybrid cell lines. J. Immunol. 1979, 123:1548-50.
Andersson LC, Nilsson K, and Gahmberg CG. K562a human erythroleukemic cell line. Int. J. Cancer. 1979, 23:143-7.
Green NM. Advances in Protein Chemistry, Vol. 29, pp. 85-133, 1975.
Kaplan, II. American Journal of Medical Science, Vol. 207, pp. 733-743, 1944.
Gope ML et al. <i>Nucleic Acids Research</i> , Vol. 15, pp.3595-3606, 1987.
Kang YS and Pardridge WM. Use of Neutral Avidin Improves Pharmokinetics and Brain Delivery of Biotin Bound to an Avidin-Monoclonal Antibody Conjugate. J. Pharmacology and Experimental Therapeutics, Vol. 29, pp. 344-350, 1994.

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE ATTY DOCKET NO. SERIAL NO. PATENT AND TRADEMARK OFFICE 0180.0026 10/051,652 INFORMATION DISCLOSURE **APPLICANTS** | PSEATEMENT BY APPLICANT PENICHET ET AL. FILING DATE **GROUP JANUARY 15, 2002** N/A

1	11/7
Ex	Adamson PJ, Zola H, Nicholson IC, Pilkington G, Hohmann A. Antibody against CD20 in patients with B cell Parts and P
	Barth S. hlL-13-PE38QQR. NeoPharm. Curr Opin Investig Drugs. 2001, 2:1309-13.
	Brooks D, Taylor C, Dos Santos B, Linden H, Houghton A, Hecht TT, Kornfeld S, Taetle R. Phase la trial of murine immunoglobulin A antitransferrin receptor antibody 42/6. Clin Cancer Res. 1995, 1: 1259-65.
	Habelshaw, H. A., Lister, T. A., and Stansfeld, A. G.s. Correlation of transferrin receptor expression with histological class and outcome in non-Hodgkin lymphoma. Lancet. 1983, 1: 498-500.
	Hall WA. Targeted toxin therapy for malignant astrocytoma. Neurosurgery. 2000, 46: 544-51.
	Laske DW, Youle RJ, Oldfield EH. Tumor regression with regional distribution of the targeted toxin TF-CRM107 in patients with malignant brain tumors. Nat Med. 1997, 3:1362-8.
	Leng J, Lang J, Shen K, Guo L. Overexpression of p53, EGFR, c-erbB2 and c-erbB3 in endometrioid carcinoma of the ovary. Chin Med Sci J. 1997, 12: 67-70.
	Li JY, Sugimura K, Boado RJ, Lee HJ, Zhang C, Duebel S, Pardridge WM. Genetically engineered brain drug delivery vectors: cloning, expression and <i>in vivo</i> application of an anti-transferrin receptor single chain antibody-streptavidin fusion gene and protein. Protein Eng 1999, 12:787-96.
	Livingston RB, Esteva FJ. Chemotherapy and herceptin for HER2(+) metastatic breast cancer: the best drug? Oncologist. 2001, 6: 315-6.
	Manzke O, Russello O, Leenen C, Diehl V, Bohlen H, Berthold F. Immunotherapeutic strategies in neuroblastoma: antitumoral activity of deglycosylated Ricin A conjugated anti-GD2 antibodies and anti-CD3xanti-GD2 bispecific antibodies. Med Pediatr Oncol. 2001, 36:185-9.
	Marttila AT, Laitinen OH, Airenne KJ, Kulik T, Bayer EA, Wilchek M, Kulomaa MS.Recombinant NeutraLite avidin: a non-glycosylated, acidic mutant of chicken avidin that exhibits high affinity for biotin and low non-specific binding properties. FEBS Lett. 2000, 467: 31-6.
	Mayers, GL, Razeq, J, and Abu-Hadid, MM. Cytotoxic drug conjugates for treatment of neoplastic disease. US Patent Application No. 5,393,737. 1995.
	Mayers, GL, Raghavan, D, Hitt, S, and Glaves, D. Transferrin-Gemcitabine conjugates: application to chemotherapy. <i>In</i> Proceedings of the 89th Annual Meeting of the American Association for Cancer Research, New Orleans, Louisiana, USA, March 28-April 1, 1998. p 63. 1998.
	Meyer DL, Schultz J, Lin Y, Henry A, Sanderson J, Jackson JM, Goshorn S, Rees AR, Graves SS. Reduced antibody response to streptavidin through site-directed mutagenesis. Protein Sci. 2001, 10: 491-503.
	Nichols J, Foss F, Kuzel TM, LeMaistre CF, Platanias L, Ratain MJ, Rook A, Saleh M, and Schwartz G. Interleukin-2 fusion protein: an investigational therapy for interleukin-2 receptor expressing malignancies. Eur. J. Cancer. 1997, 33 Suppl 1: S34-36.
	Penichet ML, Kang YS, Pardridge WM, Morrison SL, Shin SU. An antibody-avidin fusion protein specific for the transferrin receptor serves as a delivery vehicle for effective brain targeting: initial applications in anti-HIV antisense drug delivery to the brain. J Immunol. 1999a, 163: 4421-6.
	Penichet ML, Shin SU, and Morrison SL. Fab fusion proteins: Immunoligands. In Antibody Fusion Proteins. Chamow S.M. and A. Ashkenazi, eds. John Wiley & Son, Inc., New York. 1999b. pp. 15-52.
	Penichet ML and Morrison SL. Antibody Engineering. In Encyclopedia of Molecular Medicine (EMM). Thomas E. Creighton, ed. John Wiley & Son, Inc., New York, 2001. Volume 1, pp. 214 to 216.

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Sheet 3 of 3

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

FORMATION DISCLOSURE STATEMENT BY APPLICANT

MAR 1 2 2002

ATTY DOCKET NO. 0180.0026

SERIAL NO. **10/051,652**

APPLICANTS
PENICHET ET AL.

FILING DATE
JANUARY 15, 2002

GROUP N/A

As AC, Menegaux F, Langlois P, Vidal JM, Koulibaly M, Jost JL, Duron JJ, Chigot JP, Vayre P, Aurengo A, Legrand JC, Rosselin G, Gespach C. Differential transferrin receptor density in human colorectal cancer: A potential probe for diagnosis and therapy. Int J Oncol. 1998, 13: 871-5.
Psarras, K., Ueda, M., Yamamura, T., Ozawa, S., Kitajima, M., Aiso, S., Komatsu, S., and Seno, M.s. Human pancreatic RNase1-human epidermal growth factor fusion: an entirely human 'immunotoxin analog' with cytotoxic properties against squamous cellcarcinomas. Protein Eng. 1998, 11: 1285-92
Rybak, S. M., Saxena, S. K., Ackerman, E. J., and Youle, R. J.s. Cytotoxic potential of ribonuclease and ribonuclease hybrid proteins. J. Biol. Chem. 1991, <i>266</i> : 21202-7.
Shinohara H, Fan D, Ozawa S, Yano S, Van Arsdell M, Viner JL, Beers R, Pastan I, Fidler IJ. Site-specific expression of transferrin receptor by human colon cancer cells directly correlates with eradication by antitransferrin recombinant immunotoxin. Int J Oncol. 2000, 17: 643-51.
Strauchen, J. A. and Breakstone, B. A.s. IL-2 receptor expression in human lymphoid lesions. Immunohistochemical study of 166 cases. Am. J. Pathol. 1987, 126: 506-512
Sweeney EB and Murphy J. R. Diphtheria toxin-based receptor-specific chimaeric toxins as targeted therapies. Essays Biochem. 1995, 30: 119-31.
Singh M, Atwal H, Micetich R. Transferrin directed delivery of adriamycin to human cells. Anticancer Res 1998, 18: 1423-1427.

EXAMINER

DATE CONSIDERED